



MATERIAL SAFETY DATA SHEET
SHEETROCK® Fiberglass Drywall Tape

SECTION 1
CHEMICAL PRODUCT AND IDENTIFICATION

United States Gypsum Company
 550 West Adams Street
 Chicago, Illinois 60661-3637
 A Subsidiary of USG Corporation

Product Safety: 1 (800) 507-8899
www.usg.com
 Version Date: January 1, 2008
 Version: 6

PRODUCT(S) SHEETROCK® Fiberglass Drywall Tape

CHEMICAL FAMILY / GENERAL CATEGORY Tape

SYNONYMS Fiberglass Tape

SECTION 2
HAZARD IDENTIFICATION

EMERGENCY OVERVIEW:
ΔCAUTION!

This product is not expected to produce any unusual hazards during normal use. Direct contact may irritate the skin, or eyes.

POTENTIAL HEALTH EFFECTS (See Section 11 for more information)

ACUTE :

Inhalation	Due to the physical nature of this product, inhalation is unlikely. There are no known health effects due to inhalation.
Eyes	Direct contact can cause irritation of eyes. If burning, redness, itching, pain or other symptoms persist or develop, consult physician. Direct contact or dust from sanding of the product may cause mechanical irritation of the eyes.
Skin	Direct, prolonged or repeated contact with the skin may cause irritation.
Ingestion	None known.

CHRONIC:

Inhalation	None known.
Eyes	None known.
Skin	None known.
Ingestion	None known. This product is not intended to be eaten. Wash hands before eating.

TARGET ORGANS: Eyes, skin and respiratory system.

PRIMARY ROUTES OF ENTRY: Inhalation, eyes and skin contact.

CARCINOGENICITY CLASSIFICATION OF INGREDIENT(S) All substances listed are associated with the nature of the raw materials used in the manufacture of this product and are not independent components of the product formulation. All substances, if present, are at levels well below regulatory limits. See Section 11: Toxicology Information for detailed information.



MATERIAL SAFETY DATA SHEET

SHEETROCK® Fiberglass Drywall Tape

MSDS #88-910-002

Page 2 of 8

MATERIAL	IARC	NTP	ACGIH	CAL- 65
FibrousGlass/Continuous Filament	3	2	A4	Not Listed
IARC - International Agency for Research on Cancer: 1- Carcinogenic to humans; 2A – Probably carcinogenic to humans; 2B – Possibly carcinogenic to humans; 3 - Not classifiable as a carcinogen; 4 – Probably not a carcinogen				
NTP – National Toxicology Program (Health and Human Services Dept., Public Health Service, NIH/NIEHS): 1- Known to be carcinogen; 2- Anticipated to be carcinogens				
ACGIH – American Conference of Governmental Industrial Hygienists: A1 – Confirmed human carcinogen; A2 – Suspected human carcinogen; A3 – Animal carcinogen; A4 - Not classifiable as a carcinogen; A5 – Not suspected as a human carcinogen				
CAL-65 – California Proposition 65 “Chemicals known to the State of California to Cause Cancer”				
POTENTIAL ENVIRONMENTAL EFFECTS: This product has no known adverse effect on ecology. (See Section 12 for more information)				

SECTION 3 COMPOSITION, INFORMATION ON INGREDIENTS

MATERIAL	WT%	CAS #
Fibrous Glass (Continuous Filament)	65-70	65997-17-3#
All ingredients of this product are included in the U.S. Environmental Protection Agency's Toxic Substances Control Act Chemical Substance Inventory and the Canadian Domestic Substances List (DSL).		
As manufactured, continuous filament glass fibers are not respirable. Continuous filaments that are chopped, crushed, or severely mechanically processed during manufacture or use may contain very small amounts of respirable particulates.		

SECTION 4 FIRST AID MEASURES

FIRST AID PROCEDURES	
Inhalation	Remove to fresh air. Leave the area of exposure and remain away until coughing and other symptoms subside. Other measures are usually not necessary, however if conditions warrant, contact physician.
Eyes	In case of contact, do not rub or scratch your eyes. To prevent mechanical irritation, flush thoroughly with water for 15 minutes. If irritation persists, consult physician.
Skin	Wash with mild soap and water. If irritation persists, consult physician.
Ingestion	This product is not intended to be ingested or eaten. If gastric disturbance occurs, call physician.
MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED: Pre-existing skin diseases such as, but not limited to, rashes and dermatitis.	
NOTES TO PHYSICIAN: Treatment should be directed at the control of symptoms and the clinical condition.	



**SECTION 5
FIRE FIGHTING MEASURES**

General Fire Hazards				None known			
Extinguishing Media				Water or use extinguishing media appropriate for surrounding fire.			
Special Fire Fighting Procedures				Wear appropriate personal protective equipment. See section 8.			
Unusual Fire/ Explosion Hazards				None known			
Hazardous Combustion Products				None known			
Flash Point		Not Determined		Auto Ignition		Not Applicable	
Method Used		Not Applicable		Flammability Classification		Not Applicable	
Upper Flammable Limit (UFL)		Not Determined					
Lower Flammable Limit (LFL)		Not Determined		Rate of Burning		Not Applicable	

**SECTION 6
ACCIDENTAL RELEASE MEASURES**

CONTAINMENT: No special precautions. Wear appropriate personal protective equipment. See section 8.			
CLEAN-UP: Use normal clean up procedures. No special precautions.			
DISPOSAL: Follow all local, state, provincial and federal regulations.			

**SECTION 7
HANDLING AND STORAGE**

HANDLING: Avoid contact with eyes. Wear the appropriate eye protection (See Section 8). Use good safety and industrial hygiene practices.			
STORAGE: Store in a cool, dry, ventilated area away from sources of heat, moisture and incompatibilities (see Section 10).			

**SECTION 8
EXPOSURE CONTROLS/PERSONAL PROTECTION**

MATERIAL	WT%	TLV (mg/m³)	PEL(mg/m³)
Fibrous Glass (Continuous Filament)	65-70	1 f/cc(R)*	15(T)/5(R)
(T)-Total; (R)-Respirable; (NE)-Not Established; (C)-Ceiling; (STEL)-Short-term exposure limit (F)-Fume; (Du)-Dust; (M)-Mist ppm-part per million; f/cc-fiber per cubic centimeter; mppcf- million particles per cubic foot			



MATERIAL SAFETY DATA SHEET

SHEETROCK® Fiberglass Drywall Tape

MSDS #88-910-002

Page 4 of 8

*ACGIH: 1 fiber/cubic centimeter air for fibers longer than 5 micrometers and thinner than 3 micrometers. Continuous filaments that are chopped, crushed, or severely mechanically processed during manufacture or use may contain very small amounts of respirable particulates [PEL = 5 mg/m³(R)].

ENGINEERING CONTROLS: If user operations generate exposures, use ventilation to keep exposures concentrations below permissible exposure limits. Where general ventilation is inadequate, use process enclosures, local exhaust ventilation, or other engineering controls to control exposure levels below permissible exposure limits.

RESPIRATORY PROTECTION: A respiratory program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

OTHER PERSONAL PROTECTIVE EQUIPMENT:

Eye/Face	Wear eye protection, safety glasses or goggles, to avoid possible eye contact.
Skin	Wear gloves and protective clothing to prevent repeated or prolonged skin contact.
General	Selection of Personal Protective Equipment will depend on environmental working conditions and operations.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	White woven scrim type fabric.	Vapor Density (Air = 1)	Not Applicable
Odor	Low to no odor	Specific Gravity (H ₂ O = 1)	Not Applicable
Odor Threshold	Not Determined	Solubility in water (g/100g)	Not Applicable
Physical State	Solid/ Tape	Partition Coefficient	Not Applicable
pH @ 25 ° C	Not Applicable	Auto-ignition Temp	Not Applicable
Melting Point	Not Applicable	Decomposition Temp	Not Determined
Freezing Point	Not Applicable	Viscosity	Not Applicable
Boiling Point	Not Applicable	Particle Size	Not Applicable
Flash Point	Not Determined	Bulk Density	Not Determined
Evaporation Rate (BuAc = 1)	Not Applicable	Molecular Weight	Not Applicable
Upper Flammable Limit (UFL)	Not Determined	VOC Content	Zero
Lower Flammable Limit (LFL)	Not Determined	Percent Volatile	Zero
Vapor Pressure (mm Hg)	Not Applicable		

SECTION 10 CHEMICAL STABILITY AND REACTIVITY

STABILITY	Stable.
CONDITIONS TO AVOID	Contact with incompatibles (see below).
INCOMPATIBILITY	None known.
HAZARDOUS POLYMERIZATION	None known.



MATERIAL SAFETY DATA SHEET
SHEETROCK® Fiberglass Drywall Tape

HAZARDOUS DECOMPOSITION	None known.
--------------------------------	-------------

**SECTION 11
 TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS: None known.
CHRONIC EFFECTS / CARCINOGENICITY: None known.

**SECTION 12
 ECOLOGICAL INFORMATION**

ENVIRONMENTAL TOXICITY: This product has no known adverse effect on ecology.	
Ecotoxicity value	Not determined.

**SECTION 13
 DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHOD: Dispose of material in accordance with federal, state, and local regulations. Never discharge directly into sewers or surface waters. Consult with environmental regulatory agencies for guidance on acceptable disposal practices.

**SECTION 14
 TRANSPORT INFORMATION**

U.S. DOT INFORMATION: Not a hazardous material per DOT shipping requirements. Not classified or regulated.	
Shipping Name	Same as product name.
Hazard Class	Not classified.
UN/NA #	None. Not classified.
Packing Group	None.
Label (s) Required	Not applicable.
GGVSec/MDG-Code	Not classified.
ICAO/IATA-DGR	Not applicable.
RID/ADR	None.
ADNR	None.

**SECTION 15
 REGULATORY INFORMATION**

--



MATERIAL SAFETY DATA SHEET

SHEETROCK® Fiberglass Drywall Tape

MSDS #88-910-002

Page 6 of 8

UNITED STATES REGULATIONS

All ingredients of this product are included in the U.S. Environmental Protection Agency's Toxic Substances Control Act Chemical Substance Inventory.

MATERIAL	WT%	3 0 2	3 0 4	3 1 3	CERCLA	CAA Sec. 112	RCRA Code
Fibrous Glass (Continuous Filament)	65-70	NL	NL	NL	NL	NL	NL

Key : NL = Not Listed

SARA Title III Section 302 (EPCRA) Extremely Hazardous Substances: Threshold Planning Quantity (TPQ)

SARA Title III Section 304 (EPCRA) Extremely Hazardous Substances: Reportable Quantity (RQ)

SARA Title III Section 313 (EPCRA) Toxic Chemicals: X= Subject to reporting under section 313

CERCLA Hazardous Substances: Reportable Quantity (RQ)

CAA Section 112 (r) Regulated Chemicals for Accidental Release Prevention: Threshold Quantities(TQ)

RCRA Hazardous Waste: RCRA hazardous waste code

CANADIAN REGULATIONS

This product has been classified in accordance with the hazard criteria of Controlled Product regulations and the MSDS contains all the information required by the Controlled Products Regulations. All ingredients of this product are included in the Canadian Domestic Substances List (DSL).

MATERIAL	WT%	IDL Item #	WHMIS Classification
Fibrous Glass (Continuous Filament)	65-70	Not Listed	Not Listed

IDL Item#: Canadian Hazardous Products Act – Ingredient Disclosure List Item #

WHMIS Classification: Workplace Hazardous Material Information System

Risk and Safety Phrases defined by European Union Directive 67/548/EEC (Annex III and IV)

R-Phrase(s): None known.

S-Phrase(s): S2

SECTION 16 OTHER INFORMATION

Label Information**Δ CAUTION!**

Product safety information: (800) 507-8899 or www.usg.com.

KEEP OUT OF REACH OF CHILDREN.



MATERIAL SAFETY DATA SHEET

SHEETROCK® Fiberglass Drywall Tape

MSDS #88-910-002

Page 7 of 8

INFORMATION FOR HANDLING AND IDENTIFICATION OF CHEMICAL HAZARDS

NFPA Ratings:			HIMS Ratings:		<table border="1"> <tr> <td>HEALTH</td> <td><input type="text" value="0"/></td> <td>0</td> </tr> <tr> <td>FLAMMABILITY</td> <td><input type="text" value="0"/></td> <td>0</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td><input type="text" value="0"/></td> <td>0</td> </tr> <tr> <td>PERSONAL PROTECTION</td> <td><input type="text" value=""/></td> <td></td> </tr> </table>	HEALTH	<input type="text" value="0"/>	0	FLAMMABILITY	<input type="text" value="0"/>	0	PHYSICAL HAZARD	<input type="text" value="0"/>	0	PERSONAL PROTECTION	<input type="text" value=""/>		0 = Minimal Hazard
HEALTH	<input type="text" value="0"/>		0															
FLAMMABILITY	<input type="text" value="0"/>		0															
PHYSICAL HAZARD	<input type="text" value="0"/>		0															
PERSONAL PROTECTION	<input type="text" value=""/>																	
Health:	0	Health:	0	1 = Slight Hazard														
Fire:	0	Fire:	0	2 = Moderate Hazard														
Reactivity:	0	Reactivity:	0	3 = Serious Hazard														
					4 = Severe Hazard													

Key/Legend

TLV	Threshold Limit Value
PEL	Permissible Exposure Limit
CAS	Chemical Abstracts Service (Registry Number)
NIOSH	National Institute for Occupational Safety and Health
MSHA	Mine Safety and Health Administration
OSHA	Occupational Health and Safety Administration
ACGIH	American Conference of Governmental Industrial Hygienists
IARC	International Agency for Research on Cancer
DOT	United States Department of Transportation
EPA	United States Environmental Protection Agency
NFPA	National Fire Protection Association
HMIS	Hazardous Materials Identification System
PPE	Personal Protection Equipment
TSCA	Toxic Substances Control Act
DSL	Canadian Domestic Substances List
NDSL	Canadian Non-Domestic Substances List
SARA	Superfund Amendments and Reauthorization Act of 1986
CAA	Clean Air Act
EPCRA	Emergency Planning & Community Right-to-know Act
RCRA	Resource Conservation and Recovery Act
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act of 1980
UN/NA#	United Nations/North America number
CFR	Code of Federal Regulations
WHMIS	Workplace Hazardous Material Information System

Prepared by:
 Product Safety
 USG Corporation
 550 West Adams Street
 Chicago, IL 60661-3637

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for his/her own particular use.



MATERIAL SAFETY DATA SHEET
SHEETROCK® Fiberglass Drywall Tape

MSDS #88-910-002
Page 8 of 8

END